

CL-991

Digital Platform Scale



LCD DISPLAY

1. LCD with back light Display
2. RS232 connectivity with Self powered Scale
3. Lithium battery back-up and works long hours
4. MS / SS console (Optional)

LED DISPLAY

1. RED Color Large Bright LED
2. RS 232 Connectivity
3. Lead Acid Battery back-up
4. ABS / SS Console (Optional)
5. Counting Function



Clonet Technologies Private Limited

LED VERSION

ABS Console



MS/ SS Console

LCD VERSION

MS/ SS Console



CL- 991 Platform Scale Specifications

Scale Functions	Functions		Zero, Tare (For LCD Version) Zero, Tare, Units, M+, MC, Sample (For LED Version)
	Display		LCD with Back light or Bright LED Display
	Key board		2 Function Keys (For LCD) 6 Function Keys (For LED)
	Battery		Lithium Battery back-up (LCD version) Lead Acid Battery back-up (LED Version)
	Enclosure		MS / SS (LCD Version) ABS / MS / SS (LED Version)
Scale Capacity	Maximum capacity	Minimum Capacity	Accuracy
	30 kg	20 g	10 g
	60 kg	40 g	20 g
	100 / 150 kg	1 kg	0.05 kg
	200/300/ 500 kg	2 kg	0.2 kg
	500 kg	4 kg	0.5 kg
	1000 kg	10 kg	1 kg
	Accuracy Class		Class III
	Tare Range		100 % F.S.
	Zero Range		4 % F. S.
Safe Overload		120 % F.S.	
Power Supply	DC Input		5 V DC, 1.0A
Battery Life	More than 100 hours of Operation (For LCD version) It works approx. 8 hours of operation (For LED Version)		
Environmental Specification	Working Temperature/Humidity	10 ~ 40°C 20 ~ 80%RH (noncondensing)	
	Storage Temperature/Humidity	0 ~ 55°C ≤90%R (noncondensing)	



PLATFORM DETAILS

#	Platform Size in mm	Capacity	Platform Material	Platter Material	Pole Material	Railing Material	Optional
1	400 x 400	30 / 60 / 100 / 150 kg	MS	SS Platter (Standard) Optional: Chequered Sheet with powder coating	MS with powder coating	MS with powder coating	Pole and Railings
2	400 x 450	30 / 60 / 100 / 150 kg	MS	SS Platter (Standard) Optional: Chequered Sheet with powder coating	MS with powder coating	MS with powder coating	Pole and Railings
3	450 x 550	60 / 100 / 150 / 300 kg	MS	SS Platter (Standard) Optional: Chequered Sheet with powder coating	MS with powder coating	MS with powder coating	Pole and Railings
4	500 x 500	100 / 150 / 300 kg	MS	SS Platter (Standard) Optional: Chequered Sheet with powder coating	MS with powder coating	MS with powder coating	Pole and Railings
5	600 x 600	300 / 600 kg	MS	SS Platter (Standard) Optional: Chequered Sheet with powder coating	MS with powder coating	MS with powder coating	Pole and Railings

** Apart from the above Platform sizes, custom built sizes are available based on request, please contact our marketing team.

Registered office: No. 16, 4th Floor, Sophia's Villa, 19th Main, 1st A Cross, BTM Layout, 1st Stage, Bangalore -560029

Factory : Ground floor, 1-2-47, Agraharam, Pettai, Sholavandan, Madurai, Tamil Nadu, 625214

www.nuclonet.com Ph: +91 9008506166 / +91 9380698815